SAFETY DATA SHEET



Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

WASH & FINISH

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : WASH & FINISH
Registration number REACH : Not applicable (mixture)

Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Detergent according to Regulation (EC) No 648/2004

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

BIKE 7*

Industrielaan 5B

B-2250 Olen

2 +32 14 23 72 03

4 +32 14 85 97 38

info@bike7.be

*BIKE 7 is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V.

Industrielaan 5B

B-2250 Olen

2 +32 14 85 97 37

4 +32 14 85 97 38

info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):

+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	zard statements			
Eye Dam.	category 1	H318: Causes serious eye damage.			
Skin Irrit.	category 2	H315: Causes skin irritation.			
Aquatic Chronic	category 3	H412: Harmful to aquatic life with long lasting effects.			

2.2. Label elements



Contains: isotridecanol, ethoxylated; 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol.

Signal word	Danger

H-statements

H318 Causes serious eye damage. H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

P-statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves, protective clothing and eye protection/face protection.

P264 Wash hands thoroughly after handling. P273 Avoid release to the environment.

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

© BIG vzw

http://www.big.be

Reason for revision: 3, 15

Revision number: 701 BIG number: 39806 1/10

Publication date: 2013-06-16
Date of revision: 2023-06-04

378-17438-037-en

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
						AIE
isotridecanol, ethoxylated	69011-36-5	C≤10%	Acute Tox. 4; H302	(1)(10)	Constituent	
			Eye Dam. 1; H318			
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)	95-38-5	C≤3%	Acute Tox. 4; H302	(1)(10)	Constituent	M: 10 (Acute,
ethanol	202-414-9		STOT RE 2; H373			ECHA)
01-2119777867-13			Skin Corr. 1C; H314			M: 1 (Chronic,
			Eye Dam. 1; H318			ECHA)
			Aquatic Acute 1; H400			
			Aquatic Chronic 1; H410			

⁽¹⁾ For H- and EUH-statements in full: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

Tingling/irritation of the skin.

After eye contact:

Corrosion of the eye tissue.

After ingestion:

Headache. Vomiting. Gastrointestinal complaints. Diarrhoea. Drowsiness.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

Reason for revision: 3, 15 Publication date: 2013-06-16

Date of revision: 2023-06-04

Revision number: 701 BIG number: 39806 2 / 10

⁽¹⁰⁾ Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

5.2. Special hazards arising from the substance or mixture

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours.

5.3. Advice for firefighters

5.3.1 Instructions:

Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product. Dam up the liquid spill. Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed. Do not discharge the waste into the drain.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Keep container in a well-ventilated place. Protect against frost. Keep out of direct sunlight. Meet the legal requirements.

7.2.2 Keep away from:

Heat sources.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

If applicable and available it will be listed below.

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

Reason for revision: 3, 15 Publication date: 2013-06-16
Date of revision: 2023-06-04

Revision number: 701 BIG number: 39806 3 / 10

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	0.46 mg/m ³	
	Acute systemic effects inhalation	14 mg/m³	
	Long-term systemic effects dermal	0.06 mg/kg bw/day	,
	Acute systemic effects dermal	2 mg/kg bw/day	

PNEC

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

Compartments	Value	Remark
Fresh water	< 0.01 mg/l	
Marine water	< 0.01 mg/l	
Fresh water (intermittent releases)	< 0.01 mg/l	
STP	0.26 mg/l	
Fresh water sediment	0.376 mg/kg sediment dw	
Marine water sediment	0.038 mg/kg sediment dw	
Soil	0.075 mg/kg soil dw	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Respiratory protection not required in normal conditions. Insufficient ventilation: wear respiratory protection.

b) Hand protection:

Protective gloves against chemicals (EN 374).

	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 480 minutes	0.35 mm	Class 6	

c) Eye protection:

Protective goggles (EN 166).

d) Skin protection:

Head/neck protection. Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Liquid
Odour	Characteristic odour
Odour threshold	No data available in the literature
Colour	Variable in colour, depending on the composition
Particle size	Not applicable (liquid)
Explosion limits	0.850 - 24.600 vol %
Flammability	Not classified as flammable
Log Kow	Not applicable (mixture)
Dynamic viscosity	40 mPa.s ; 20 °C
Kinematic viscosity	40 mm²/s ; 40 °C
Melting point	0 °C
Boiling point	78 °C - 233 °C
Relative vapour density	No data available in the literature
Vapour pressure	23 hPa ; 20 °C
Solubility	Water ; insoluble
Relative density	1.00 ; 20 °C
Absolute density	1004 kg/m³ ; 20 °C
Decomposition temperature	No data available in the literature
Auto-ignition temperature	200 °C
Flash point	No data available in the literature
рН	6.0

9.2. Other information

Evaporation rate 10.3 ; Butyl acetate	Evaporation rate	0.3 ; Butyl acetate
---	------------------	---------------------

Reason for revision: 3, 15 Publication date: 2013-06-16
Date of revision: 2023-06-04

Revision number: 701 BIG number: 39806 4 / 10

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard. Acid reaction.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

WASH & FINISH

No (test)data available

Judgement is based on the relevant ingredients

isotridecanol, ethoxylated

Route of ex	posure	Parameter	Method	Value	Exposure time	Species	Value	Remark
							determination	
Oral				category 4			Literature study	

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	OECD 401	1265 mg/kg		Rat (male /	Experimental value	
					female)		
Dermal						Data waiving	
Inhalation						Data waiving	

Conclusion

Not classified for acute toxicity

Corrosion/irritation

WASH & FINISH

No (test)data available

Classification is based on the relevant ingredients

isotridecanol, ethoxylated

Route of exposure	Result	Method	Exposure time	Time point	Value determination	Remark
Eye	Serious eye					
	damage;					
	category 1					

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

Route of exposure	Result	Method	Exposure time	Time point	 Value determination	Remark
Eye	,	Equivalent to OECD 405		24; 72 hours	Experimental value	Single treatment
Skin	Corrosive	OECD 404	4 h	1; 24 hours	Experimental value	

Conclusion

Causes skin irritation.

Causes serious eye damage.

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

WASH & FINISH

No (test)data available

Judgement is based on the relevant ingredients

Reason for revision: 3, 15 Publication date: 2013-06-16

Date of revision: 2023-06-04

Revision number: 701 BIG number: 39806 5 / 10

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Equivalent to OECD 406		24 hours	Guinea pig (male / female)	Experimental value	

Conclusion

Not classified as sensitizing for skin Not classified as sensitizing for inhalation

Specific target organ toxicity

WASH & FINISH

No (test)data available

Judgement is based on the relevant ingredients $\underline{\text{2-}(2\text{-heptadec-8-enyl-2-imidazolin-1-yl})}\text{ethanol}$

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time		Value determination
Oral (stomach tube)	NOAEL	OECD 422	20 mg/kg bw/day		No effect	l '`'	l . ' '	Experimental value
Oral (stomach tube)	LOAEL	OECD 422	≥ 60 mg/kg bw/day		No effect	l '\' / '\'	l . ' '	Experimental value

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

WASH & FINISH

No (test)data available

Judgement is based on the relevant ingredients

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 476	Chinese hamster ovary (CHO)		Experimental value	

Mutagenicity (in vivo)

WASH & FINISH

No (test)data available

Judgement is based on the relevant ingredients

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

WASH & FINISH

No (test)data available

Judgement is based on the relevant ingredients

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

WASH & FINISH

No (test)data available

Judgement is based on the relevant ingredients

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

	Parameter	Method	Value	Exposure time	Species	Effect	0	Value determination
Developmental toxicity (Oral (stomach tube))	NOEC	OECD 422	> 60 mg/kg bw/day		Rat (male / female)	No effect		Experimental value
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 422	> 20 mg/kg bw/day	51 day(s)	Rat (male / female)	No effect		Experimental value
Effects on fertility (Oral (stomach tube))	NOAEL (P)	OECD 422	> 20 mg/kg bw/day	31 day(s) - 51 day (s)	Rat (male / female)	No effect		Experimental value
	NOAEL (F1)	OECD 422	> 60 mg/kg bw/day	31 week(s) - 51 week(s)	Rat (male / female)	No effect		Experimental value

Conclusion

Reason for revision: 3, 15 Publication date: 2013-06-16
Date of revision: 2023-06-04

Revision number: 701 BIG number: 39806 6 / 10

Not classified for reprotoxic or developmental toxicity

Aspiration hazard

Judgement is based on the relevant ingredients Not classified for aspiration toxicity

Toxicity other effects

WASH & FINISH

No (test)data available

Chronic effects from short and long-term exposure

WASH & FINISH

No effects known.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

WASH & FINISH

No (test)data available

Classification is based on the relevant ingredients

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

-\z-neptauec-8-enyi-z-iiniuaz	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt	Value determination
	raiailletei	Wiethou	value	Duration	species	rest design	water	value determination
Acute toxicity fishes	LC50	OECD 203	0.3 mg/l	96 h	Danio rerio	Static system	Fresh water	Experimental value; Nominal concentration
Acute toxicity crustacea	EC50	OECD 202	0.16 mg/l	48 h	Daphnia magna	Semi-static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	ErC50	OECD 201	0.03 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 201	0.011 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; GLP
Toxicity aquatic micro- organisms	EC50		26 mg/l		Bacteria			Literature study; Acute
	IC50	OECD 209	26 mg/l	180 minutes	Activated sludge	Static system	Fresh water	Experimental value; Nominal concentration

Conclusion

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

isotridecanol, ethoxylated

Biodegradation water

Method	Value	Duration	Value determination
OECD 301B	82 %	28 day(s)	Experimental value

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

Biodegradation water

Method	Value	Duration	Value determination
OECD 301B	1 %	28 day(s)	Experimental value

Conclusion

The surfactant(s) is/are biodegradable according to Regulation (EC) No 648/2004

12.3. Bioaccumulative potential

WASH & FINISH

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

Reason for revision: 3, 15 Publication date: 2013-06-16

Revision number: 701 BIG number: 39806 7 / 10

Date of revision: 2023-06-04

isotridecanol, ethoxylated

BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF		232.5 l/kg		Pimephales promelas	Experimental value

Log Kow

OECD 117	6.4	22 °C	Weight of evidence approach

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF	BCFBAF v3.00	372 l/kg; Fresh		Pisces	QSAR
		weight			

Log Kow

Method	Remark	Value	Temperature	Value determination
		8.4		Calculated

Conclusion

Does not contain bioaccumulative component(s)

12.4. Mobility in soil

isotridecanol, ethoxylated

(log) Koc

•	Parameter	Method	Value	Value determination
	log Koc		2.376 - 2.645	QSAR

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

(log) Koc

Parameter	Method	Value	Value determination
log Koc	SRC PCKOCWIN v2.0	5.1	Calculated value

Conclusion

Contains component(s) that adsorb(s) into the soil

Contains component(s) with potential for mobility in the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

WASH & FINISH

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

isotridecanol, ethoxylated

Groundwater

Groundwater pollutant

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

Groundwater

Groundwater pollutant

Water ecotoxicity pH

pH shift

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

20 01 29* (separately collected fractions (except 15 01): detergents containing hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

Reason for revision: 3, 15

Publication date: 2013-06-16

Date of revision: 2023-06-04

Revision number: 701 BIG number: 39806 8 / 10

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number/ID number		
Transport	Not subject	
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
Hazard identification number		
Class		
Classification code		
14.4. Packing group		
Packing group		
Labels		
14.5. Environmental hazards		
Environmentally hazardous substance mark	no	
14.6. Special precautions for user		
Special provisions		
Limited quantities		
14.7. Maritime transport in bulk according to IMO instruments		
Annex II of MARPOL 73/78	Not applicable, based on available data	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
0.08 %	
5.8 g/l	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

Ingredients according to Regulation (EC) No 648/2004 and amendments

5-15% non-ionic surfactants, <5% cationic surfactants

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

		Conditions of restriction
	ubstances or of the mixture	
· isotridecanol, ethoxylated · 2-(2-heptadec-8-enyl-2-imidazolin-1-yl) ethanol (EC (a) tyx 1 a to (b) eff de eff (c)	quid substances or mixture quid substances or mixtures fulfilling the riteria for any of the following hazard classes r categories set out in Annex I to Regulation (C) No 1272/2008: a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 ypes A and B, 2.9, 2.10, 2.12, 2.13 categories and 2, 2.14 categories 1 and 2, 2.15 types A o F; o) hazard classes 3.1 to 3.6, 3.7 adverse ffects on sexual function and fertility or on evelopment, 3.8 effects other than narcotic ffects, 3.9 and 3.10; c) hazard class 4.1; d) hazard class 5.1.	1. Shall not be used in: — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, — tricks and jokes, — games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: — can be used as fuel in decorative oil lamps for supply to the general public, and, — present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage"; b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

National legislation Belgium

No data available

Reason for revision: 3, 15 Publication date: 2013-06-16

Date of revision: 2023-06-04

Revision number: 701 BIG number: 39806 9 / 10

National legislation The Netherlands

Waterbezwaarlijkheid A (2); Algemene Beoordelingsmethodiek (ABM)

National legislation France

No data available

National legislation Germany

WGK 2; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017

National legislation Austria

No data available

National legislation United Kingdom

No data available

Other relevant data

No data available

15.2. Chemical safety assessment

No chemical safety assessment is required for a mixture.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H373 May cause damage to organs (gastrointestinal tract, thymus) through prolonged or repeated exposure if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

(*) INTERNAL CLASSIFICATION BY BIG

ADI Acceptable daily intake

AOEL Acceptable operator exposure level

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BEI Biological Exposure Indices

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
EC10 Effect Concentration 10 %
EC50 Effect Concentration 50 %

ErC50 EC50 in terms of reduction of growth rate

GLP Good Laboratory Practice
LCO Lethal Concentration 0 %
LC50 Lethal Concentration 50 %
LD50 Lethal Dose 50 %

LOAEC/LOAEL Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL No Observed Adverse Effect Concentration/No Observed Adverse Effect Level

NOEC/NOEL No Observed Effect Concentration/No Observed Effect Level OECD Organisation for Economic Co-operation and Development

PBT Persistent, Bioaccumulative & Toxic
PNEC Predicted No Effect Concentration
STP Sludge Treatment Process

vPvB very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 3, 15 Publication date: 2013-06-16 Date of revision: 2023-06-04

Revision number: 701 BIG number: 39806

10 / 10